

Table of Contents

Precision Ground Flat Stock

Stainless Steel Ground Flat Stock AISI/SAE Type 410	1
Stainless Steel Ground Flat Stock AISI/SAE Type 420	2
Stainless Knife Steel Ground Flat Stock AISI/SAE Type 440C	3
Ground Flat Stock AISI/SAE Type H-13	4
Prehardened Ground Flat Stock AISI/SAE Type 4142 Modified	4
Metric Ground Flat Stock AISI/SAE Type O-1	4

Drill Rod

Hardened Drill Rod AISI/SAE Type H-13	5
--	---

Stainless Steel Ground Flat Stock

AISI/SAI TYPE 410

Regular Tolerance

--- Size ---					--- Size ---					--- Size ---				
----- 24" Length -----					----- 24" Length -----					----- 24" Length -----				
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price
1/16	x 1/2	11600*	0.22	32.65	5/16	x 1 1/2	11734*	3.23	69.38	3/4	x 1 1/2	11868*	7.74	100.37
	3/4	11602*	0.32	36.33		2	11736*	4.30	73.46		2	11870*	10.32	131.13
	1	11604*	0.43	40.43		2 1/2	11738*	5.37	94.10		2 1/2	11872*	12.89	147.52
	1 1/4	11606*	0.54	44.37		3	11740*	6.45	112.12		3	11874*	15.47	170.26
	1 1/2	11608*	0.65	48.21		3 1/2	11742*	7.52	130.30		3 1/2	11876*	18.05	174.68
	2	11610*	0.86	57.81		4	11744*	8.59	00135		4	11878*	20.62	190.36
	2 1/2	11612*	1.07	66.94		5	11746*	10.74	166.16		5	11880*	25.78	271.20
	3	11614*	1.29	74.52		6	11748*	12.89	183.91		6	11882*	30.93	295.23
	3 1/2	11616*	1.50	82.76		8	11750*	17.18	250.02		7	11884*	36.08	326.64
	4	11618*	1.72	90.82		9	11752*	19.33	277.00		8	11886*	41.23	368.15
	5	11620*	2.15	106.52		10	11754*	21.47	305.62		9	11888*	46.39	423.24
	6	11622*	2.58	125.25		12	11756*	25.77	390.53		10	11890*	51.54	482.77
	8	11624*	3.44	161.53							12	11892*	61.84	531.35
	10	11626*	4.29	191.96	3/8	x 3/8	11758*	0.97	51.67	7/8	x 7/8	11894*	5.27	95.10
	12	11628*	5.15	227.78		1/2	11760*	1.29	46.53		1	11896*	6.03	98.58
1/8	x 1/2	11630*	0.43	34.28		3/4	11762*	1.94	56.79		1	11898*	7.53	106.07
	3/4	11632*	0.65	38.58		1	11764*	2.58	57.97		1 1/4	11900*	9.03	113.57
	1	11634*	0.86	43.01		1 1/4	11766*	3.23	59.64		1 1/2	11902*	12.04	128.57
	1 1/4	11636*	1.08	46.36		1 1/2	11768*	3.87	71.99		2	11904*	15.04	149.97
	1 1/2	11638*	1.29	52.81		2	11770*	5.16	84.27		2 1/2	11906*	18.05	171.38
	2	11640*	1.72	59.24		2 1/2	11772*	6.45	101.77		3	11908*	21.05	201.65
	2 1/2	11642*	2.15	67.79		3	11774*	7.74	102.51		3 1/2	11910*	24.06	231.96
	3	11644*	2.58	75.03		3 1/2	11776*	9.02	130.85		4	11912*	36.08	252.72
	3 1/2	11646*	3.01	83.63		4	11778*	10.31	152.46	1	x 1	11914*	6.89	120.67
	4	11648*	3.44	90.34		5	11780*	12.89	182.23		1 1/4	11916*	8.60	125.02
	5	11650*	4.30	106.96		6	11782*	15.46	198.71		1 1/2	11918*	10.32	129.27
	6	11652*	5.15	125.00		7	11784*	18.04	251.74		2	11920*	13.76	145.15
	8	11654*	6.87	159.22		8	11786*	20.62	278.36		2 1/2	11922*	17.19	162.94
	10	11656*	8.59	192.45		9	11788*	23.19	315.31		3	11924*	20.63	187.06
	12	11658*	10.31	225.90		10	11790*	25.77	351.01		3 1/2	11926*	24.06	208.50
						12	11792*	30.92	401.11		4	11928*	27.50	229.04
3/16	x 3/16	11660*	0.24	36.03	1/2	x 1/2	11794*	1.73	50.52		5	11930*	34.37	301.41
	1/2	11662*	0.65	43.45		3/4	11796*	2.58	60.90		6	11932*	41.24	328.03
	3/4	11664*	0.97	48.44		1	11798*	3.44	66.16		7	11934*	48.11	415.51
	1	11666*	1.29	56.49		1 1/4	11800*	4.30	71.38		8	11936*	54.98	442.67
	1 1/4	11668*	1.61	60.52		1 1/2	11802*	5.16	77.09		9	11938*	61.85	541.23
	1 1/2	11670*	1.94	67.20		2	11804*	6.88	88.83		10	11940*	68.72	555.90
	2	11672*	2.58	80.47		2 1/2	11806*	8.60	111.86		12	11942*	82.46	659.29
	2 1/2	11674*	3.22	94.84		3	11808*	10.31	116.94	1-1/4	x 1 1/4	11944*	10.76	140.77
	3	11676*	3.87	105.39		3 1/2	11810*	12.03	141.64		1 1/2	11946*	12.90	144.31
	3 1/2	11678*	4.51	120.35		4	11812*	13.75	145.88		2	11948*	17.20	179.24
	4	11680*	5.16	134.19		5	11814*	17.18	197.39		2 1/2	11950*	21.49	180.60
	5	11682*	6.44	161.31		6	11816*	20.62	208.54		3	11952*	25.78	224.88
	6	11684*	7.73	192.44		7	11818*	24.05	254.34		3 1/2	11954*	30.08	245.92
	8	11686*	10.31	238.35		8	11820*	27.49	268.76		4	11956*	34.37	272.66
	10	11688*	12.88	283.70		9	11822*	30.92	374.41		5	11958*	42.96	305.31
	12	11690*	15.46	330.39		10	11824*	34.36	349.65		6	11960*	51.55	337.97
						12	11826*	41.23	391.44		7	11962*	60.13	392.90
1/4	x 1/4	11692*	0.43	36.94	5/8	x 5/8	11828*	2.69	76.05		8	11964*	68.72	459.21
	1/2	11694*	0.86	41.64		3/4	11830*	3.23	65.41		9	11966*	77.31	522.53
	3/4	11696*	1.29	45.01		1	11832*	4.30	66.40		10	11968*	85.90	611.84
	1	11698*	1.72	49.21		1 1/4	11834*	5.38	67.42		12	11970*	103.07	701.10
	1 1/4	11700*	2.15	54.35		1 1/2	11836*	6.45	85.89	1-1/2	x 1 1/2	11972*	15.48	174.15
	1 1/2	11702*	2.58	61.13		2	11838*	8.60	104.38		2	11974*	20.64	180.84
	2	11704*	3.44	76.09		2 1/2	11840*	10.75	130.52		2 1/2	11976*	25.79	214.01
	2 1/2	11706*	4.30	89.41		3	11842*	12.89	141.71		3	11978*	30.94	255.10
	3	11708*	5.16	97.56		3 1/2	11844*	15.04	168.99		3 1/2	11980*	36.09	266.18
	3 1/2	11710*	6.02	101.92		4	11846*	17.19	196.29		4	11982*	41.25	277.34
	4	11712*	6.87	129.80		5	11848*	21.48	223.15		5	11984*	51.55	324.98
	5	11714*	8.59	164.62		6	11850*	25.77	258.33		6	11986*	61.86	411.01
	6	11716*	10.31	178.05		7	11852*	30.07	293.45		7	11988*	72.16	459.04
	8	11718*	13.74	225.91		8	11854*	34.36	318.02		8	11990*	82.47	518.31
	10	11720*	17.18	269.38		9	11856*	38.65	366.28		9	11992*	92.77	577.60
	12	11722*	20.61	347.89		10	11858*	42.95	411.64		10	11994*	103.08	641.20
						12	11860*	51.54	474.13		12	11996*	123.69	687.31
5/16	x 5/16	11724*	0.68	46.65	3/4	x 3/4	11862*	3.88	71.55					
	1/2	11726*	1.08	41.99		1	11864*	5.17	78.63					
	3/4	11728*	1.62	44.02		1 1/4	11866*	6.45	93.72					
	1	11730*	2.15	50.41										
	1 1/4	11732*	2.69	53.25										

* NEW GRADE

Stainless Steel Ground Flat Stock

AISI/SAE TYPE 420

Override Tolerance

--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----			--- Size ---		----- 24" Length -----					
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price			
1/4	x	1	13000*	1.83	86.83	1/2	x	1	13024*	3.56	114.50	1	x	1	13048*	7.04	189.88
		2	13002*	3.63	135.01			2	13026*	7.09	172.99			2	13050*	14.00	275.34
		3	13004*	5.43	184.47			3	13028*	10.61	232.63			3	13052*	20.95	360.80
		4	13006*	7.24	232.64			4	13030*	14.13	291.11			4	13054*	27.91	446.25
		5	13008*	9.04	280.83			5	13032*	17.65	349.60			5	13056*	34.87	531.72
		6	13010*	10.84	329.02			6	13034*	21.17	408.08			6	13058*	41.82	617.17
3/8	x	1	13012*	2.70	104.57	3/4	x	1	13036*	5.30	156.16	1-1/2	x	2	13062*	20.91	375.87
		2	13014*	5.36	159.94			2	13038*	10.54	228.99			3	13064*	31.30	490.24
		3	13016*	8.02	216.56			3	13040*	15.78	301.80			4	13066*	41.69	604.59
		4	13018*	10.68	271.93			4	13042*	21.02	374.63						
		5	13020*	13.34	327.30			5	13044*	26.26	447.44						
		6	13022*	16.01	382.67			6	13046*	31.50	520.26						

* NEW GRADE

Stainless Knife Steel Ground Flat Stock

AISI/SAE TYPE 440C

Override Tolerance

--- Size ---					--- Size ---					--- Size ---											
----- 24" Length -----					----- 24" Length -----					----- 24" Length -----											
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price							
1/16	x	1/2	26052*	0.26	48.52	5/16	x	1 1/2	26186*	3.38	82.92	3/4	x	1 1/2	26320*	7.92	115.75				
		3/4	26054*	0.39	52.72			2	26188*	4.49	87.48			2	26322*	10.54	150.18				
		1	26056*	0.52	57.21			2 1/2	26190*	5.61	110.54			2 1/2	26324*	13.16	168.56				
		1 1/4	26058*	0.65	61.69			3	26192*	6.73	130.81			3	26326*	15.78	194.03				
		1 1/2	26060*	0.78	66.01			3 1/2	26194*	7.84	151.12			3 1/2	26328*	18.40	198.95				
		2	26062*	1.04	76.77			4	26196*	8.96	155.97			4	26330*	21.02	216.53				
		2 1/2	26064*	1.29	87.03			5	26198*	11.19	191.33			5	26332*	26.26	307.07				
		3	26066*	1.55	95.43			6	26200*	13.42	211.19			6	26334*	31.50	334.00				
		3 1/2	26068*	1.81	104.65			8	26202*	17.89	285.22			7	26336*	36.73	369.16				
		4	26070*	2.07	113.70			9	26204*	20.12	315.43			8	26338*	41.97	415.64				
		5	26072*	2.58	131.30			10	26206*	22.36	347.47			9	26340*	47.21	477.36				
		6	26074*	3.10	152.25			12	26208*	26.82	442.58			10	26342*	52.45	543.99				
8	26076*	4.13	192.92					12	26344*	62.93	598.41										
10	26078*	5.16	227.00																		
12	26080*	6.19	267.15																		
1/8	x	1/2	26082*	0.48	48.28	3/8	x	3/8	26210*	1.03	63.23	7/8	x	7/8	26346*	5.41	109.69				
		3/4	26084*	0.72	53.11			1/2	26212*	1.36	57.47			1	26348*	6.17	113.57				
		1	26086*	0.96	58.06			3/4	26214*	2.03	68.98			1 1/4	26350*	7.70	121.98				
		1 1/4	26088*	1.19	61.79			1	26216*	2.70	70.31			1 1/2	26352*	9.22	130.36				
		1 1/2	26090*	1.43	69.01			1 1/4	26218*	3.36	72.18			2	26354*	12.27	129.55				
		2	26092*	1.90	76.25			1 1/2	26220*	4.03	86.00			2 1/2	26356*	15.32	171.15				
		2 1/2	26094*	2.37	85.82			2	26222*	5.36	99.79			3	26358*	18.37	195.15				
		3	26096*	2.85	93.92			2 1/2	26224*	6.69	119.35			3 1/2	26360*	21.42	229.02				
		3 1/2	26098*	3.32	103.56			3	26226*	8.02	120.23			4	26362*	24.46	262.99				
		4	26100*	3.79	111.05			3 1/2	26228*	9.35	151.89			6	26364*	36.66	286.24				
		5	26102*	4.73	129.66			4	26230*	10.68	176.15										
		6	26104*	5.68	149.91			5	26232*	13.34	209.48										
8	26106*	7.57	188.23	6	26234*	16.01	227.92	1	x	1	26366*	7.04	138.38								
10	26108*	9.46	225.43	7	26236*	18.67	287.32	1 1/4	26368*	8.78	143.24										
12	26110*	11.35	262.87	8	26238*	21.33	317.14	1 1/2	26370*	10.52	148.07										
				9	26240*	23.99	358.52	2	26372*	14.00	165.83										
				10	26242*	26.65	398.52	2 1/2	26374*	17.48	185.73										
				12	26244*	31.98	454.64	3	26376*	20.95	212.74										
								3 1/2	26378*	24.43	236.81										
								4	26380*	27.91	259.79										
								5	26382*	34.87	340.84										
								6	26384*	41.82	370.70										
								7	26386*	48.78	468.64										
								8	26388*	55.73	499.03										
								9	26390*	62.69	609.40										
								10	26392*	69.65	625.87										
								12	26394*	83.56	741.66										
3/16	x	3/16	26112*	0.27	45.89	1/2	x	1/2	26246*	1.80	59.89	1-1/4	x	1 1/4	26396*	10.95	160.81				
		1/2	26114*	0.70	54.18			3/4	26248*	2.68	71.51			1 1/2	26398*	13.12	164.75				
		3/4	26116*	1.05	59.83			1	26250*	3.56	77.41			2	26400*	17.46	203.88				
		1	26118*	1.39	68.76			1 1/4	26252*	4.45	83.22			2 1/2	26402*	21.79	205.40				
		1 1/4	26120*	1.73	73.32			1 1/2	26254*	5.33	89.66			3	26404*	26.13	255.00				
		1 1/2	26122*	2.08	80.88			2	26256*	7.09	102.79			3 1/2	26406*	30.47	278.57				
		2	26124*	2.77	95.68			2 1/2	26258*	8.85	128.60			4	26408*	34.80	308.48				
		2 1/2	26126*	3.45	111.78			3	26260*	10.61	134.25			5	26410*	43.48	345.10				
		3	26128*	4.14	123.63			3 1/2	26262*	12.37	161.96			6	26412*	52.15	381.66				
		3 1/2	26130*	4.83	140.33			4	26264*	14.13	166.69			7	26414*	60.82	443.18				
		4	26132*	5.51	155.89			5	26266*	17.65	224.37			8	26416*	69.50	517.44				
		5	26134*	6.89	186.21			6	26268*	21.17	236.86			9	26418*	78.17	588.41				
6	26136*	8.26	221.07	7	26270*	24.69	288.15	10	26420*	86.84	688.40										
8	26138*	11.01	272.50	8	26272*	28.21	304.28	12	26422*	104.19	788.37										
10	26140*	13.76	323.28	9	26274*	31.73	422.67														
12	26142*	16.51	375.54	10	26276*	35.25	394.91														
				12	26278*	42.29	441.73														
1/4	x	1/4	26144*	0.47	46.17	5/8	x	5/8	26280*	2.79	88.46	1-1/2	x	1 1/2	26424*	15.72	198.15				
		1/2	26146*	0.92	51.44			3/4	26282*	3.34	76.51			2	26426*	20.91	205.61				
		3/4	26148*	1.38	55.15			1	26284*	4.43	77.65			2 1/2	26428*	26.11	242.83				
		1	26150*	1.83	59.86			1 1/4	26286*	5.53	78.78			3	26430*	31.30	288.82				
		1 1/4	26152*	2.28	65.69			1 1/2	26288*	6.62	99.49			3 1/2	26432*	36.50	301.25				
		1 1/2	26154*	2.73	73.25			2	26290*	8.81	120.15			4	26434*	41.69	313.71				
		2	26156*	3.63	90.05			2 1/2	26292*	11.00	149.42			5	26436*	52.08	367.07				
		2 1/2	26158*	4.53	104.96			3	26294*	13.19	161.96			6	26438*	62.48	463.43				
		3	26160*	5.43	114.03			3 1/2	26296*	15.38	192.50			7	26440*	72.87	517.22				
		3 1/2	26162*	6.33	118.95			4	26298*	17.57	223.10			8	26442*	83.26	583.61				
		4	26164*	7.24	150.16			5	26300*	21.95	253.15			9	26444*	93.65	650.02				
		5	26166*	9.04	189.20			6	26302*	26.33	292.54			10	26446*	104.04	721.20				
6	26168*	10.84	204.23	7	26304*	30.71	331.94	12	26448*	124.82	772.92										
8	26170*	14.45	257.82	8	26306*	35.09	359.46														
10	26172*	18.06	306.50	9	26308*	39.47	413.50														
12	26174*	21.66	394.48	10	26310*	43.85	464.29														
				12	26312*	52.61	534.30														
5/16	x	5/16	26176*	0.73	57.47	3/4	x	3/4	26314*	3.99	83.41	2	x	2	26450*	27.82	294.23				
		1/2	26178*	1.14	52.24			1	26316*	5.30	91.38										
		3/4	26180*	1.70	54.54			1 1/4	26318*	6.61	108.28										
		1	26182*	2.26	61.67																
1 1/4	26184*	2.82	64.86																		

* NEW GRADE

Ground Flat Stock H-13

AISI/SAE TYPE H-13

Oversize Tolerance

--- Size ---					---- 24" Length ----						
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price		
1/4	x	1	97161	1.80	50.74	3/4	x	1	97169	5.27	108.59
		2	97162	3.59	77.27			2	97170	10.49	165.14
		3	97163	5.38	104.84			3	97171	15.72	221.73
		4	97164	7.16	131.40			4	97172	20.94	278.27
3/8	x	1	97211	2.67	66.14	1	x	1	97173	7.01	127.94
		2	97212	5.32	102.64			2	97174	13.95	191.89
		3	97213	7.96	140.13			3	97175	20.89	255.81
		4	97214	10.61	176.66			4	97176	27.82	319.76
1/2	x	1	97165	3.54	81.54						
		2	97166	7.04	128.01						
		3	97167	10.55	175.41						
		4	97168	14.05	221.91						

* NEW GRADE

Pre-hardened Ground Flat Stock

AISI/SAE TYPE 4142

Regular Tolerance

--- Size ---					---- 72" Length ----						
Thickness	Width	UPC No.	Weight	List Price	Thickness	Width	UPC No.	Weight	List Price		
1/2	x	1	24916	10.31	263.64	1	x	1	24952	20.61	474.28
		1 1/2	24927	15.46	294.10			1 1/2	24957	30.92	527.06
		2	24934	20.61	350.54			2	24965	41.22	618.98
		3	24949	30.92	463.88			3	24976	61.83	803.66
		4	24961	41.22	577.20			4	24979	82.44	1107.22
		6	24975	61.83	803.58			6	24982	123.66	1355.78
3/4	x	3/4	24926	11.59	291.04						
		1	24933	15.46	338.44						
		1 1/2	24946	23.19	420.98						
		2	24954	30.92	497.12						
		3	24966	46.37	650.30						
		4	24974	61.83	802.98						
6	24980	92.75	1108.52								

* NEW SIZES

Oil-hardening Metric Ground Flat Stock

AISI/SAE TYPE O-1

1 meter (1000 mm) = 39.375 inches

--- Size mm ---			---- 1m Length ----		
Thickness	Width	UPC No.	Weight	List Price	
8	x	15	10505	2.08	96.66
		20	10510	2.77	115.74
		25	10515	3.47	122.19
		30	10520	4.15	127.22
		40	10525	5.54	131.01
		50	10530	6.92	162.31
		60	10535	8.31	185.79
		75	10540	10.39	203.52
		100	10545	13.85	294.09
		150	10550	20.77	412.49

* NEW SIZES

Hardened Ground and Polished Drill Rod

AISI/SAE TYPE H-13

--- Size ---		UPC No.	Weight	List Price	--- Size ---		UPC No.	Weight	List Price
inches	Decimal	3' Length			Inches	Decimal	3' Length		
1/8	.1250	08300*	0.13	7.20	11/16	.6875	08320*	3.79	99.30
3/16	.1875	08302*	0.28	11.02	3/4	.7500	08322*	4.51	117.97
1/4	.2500	08304*	0.50	15.13	13/16	.8125	08324*	5.29	138.77
9/32	.2812	08306*	0.63	20.02	7/8	.8750	08326*	6.13	160.58
5/16	.3125	08308*	0.78	22.15	15/16	.9375	08328*	7.04	184.39
3/8	.3750	08310*	1.13	31.36	1	1.0000	08330*	8.01	207.70
7/16	.4375	08312*	1.53	42.52	1-1/8	1.1250	08332*	10.14	262.73
1/2	.5000	08314*	2.00	61.18	1-1/4	1.2500	08334*	12.52	324.36
9/16	.5625	08316*	2.53	67.10	1-3/8	1.3750	08336*	15.14	392.52
5/8	.6250	08318*	3.13	81.88	1-1/2	1.5000	08338*	18.02	467.14

* NEW GRADE